Printing date 02/08/2021

Reviewed on 02/08/2021

## 1 Identification

· Product identifier

Trade name: ROMPOX-HAFTSCHLÄMME

· Application of the substance / the mixture Concrete/Mortar admixtures Binder mortar base · Details of the supplier of the safety data sheet · Manufacturer/Supplier: ROMEX Produktionsgesellschaft mbH Mühlgrabenstraße 19 D-53340 MECKENHEIM DEUTSCHLAND H.Blaesner@romex-rpg.de · Information department: Abteilung Produktsicherheit Emergency telephone number: "Alberta - Poison and Drug Information Services (PADIS)Toll-free 1-800-332-1414 (within Alberta and Northwest Territories only)(403) 944-1414 (in Calgary, VOIP users, or outside of Alberta) British Columbia - British Columbia Drug and Poison Information Centre (DPIC) Toll-free 1-800-567-8911 (within BC only) (604) 682-5050 (Greater Vancouver) Manitoba - Manitoba Poison CentreToll-free 1-855-7POISON (1-855-776-4766) New Brunswick - Sykes Telehealth 911 Newfoundland and Labrador - Poison Information CentreToll-free 1-866-727-1110(709) 722-1110 Northwest Territories - Poison and Drug Information Services (PADIS)Toll-free 1-800-332-1414 (for Alberta and Northwest Territories only Nova Scotia - IWK Regional Poison CentreToll-free 1-800-565-8161 (for Nova Scotia and PEI only) or call 911 and ask to speak to the Poison Centre(902) 470-8161 (Halifax or outside Nova Scotia) Nunavut - Toll-Free 1-800-268-9017 Ontario - Ontario Poison Centre (OPC)Toll-free 1-800-268-9017 (within Ontario)(416) 813-5900 (Greater Toronto Area)Prince Edward Island - IWK Regional Poison CentreToll-free 1-800-565-8161 (for Nova Scotia and PEI only) Québec - Centre anipoison du Québec (CAPQ)Toll-free 1-800-463-5060 (for Quebec only) Saskatchewan - Poison and Drug Information Services (PADIS)Toll-free 1-866-454-1212 (for Saskatchewan only) Yukon Territory - Yukon Poison Control Centre - Whitehorse General Hospital(867) 393-8700" Giftnotrufzentrale BONN, Germany

Tel.: 0049(0)228-19240


ROMEX, Abtlg. Produktsicherheit von 08:00-17:00 : +49 (0)2225 70954-10

Classification of the substance or mixtu	re
GHS08 Health hazard	
Carcinogenicity - Category 1A	H350 May cause cancer.
GHS05 Corrosion	
Skin Corrosion - Category 1A	H314 Causes severe skin burns and eye damage.
Serious Eye Damage - Category 1	H318 Causes serious eye damage. (Contd. on page 2

Printing date 02/08/2021

Reviewed on 02/08/2021

### Trade name: ROMPOX-HAFTSCHLÄMME



Printing date 02/08/2021

Reviewed on 02/08/2021

### Trade name: ROMPOX-HAFTSCHLÄMME

(Contd. of page 2)

<90.000% w/w

<25.000% w/w

3 Composition/Information on ingredients									
	ber: 266-04 al characte	-	Mixture	s					

• **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

14808-60-7 Quartz (SiO2)

65997-15-1 Cement, portland, chemicals

### 4 First-aid measures

#### · Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

- Rinse out mouth and then drink plenty of water.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

CA

(Contd. of page 3)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 02/08/2021

Reviewed on 02/08/2021

## Trade name: ROMPOX-HAFTSCHLÄMME

See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

- Precautions for safe handling
   Thorough dedusting.
   Ensure good ventilation/exhaustion at the workplace.
   Open and handle receptacle with care.
- *Information about protection against explosions and fires:* The product is not flammable. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in dry conditions. Keep receptacle tightly sealed.
- · Storage class: 8 B
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace:

- 14808-60-7 Quartz (SiO2)
- EL TWA: 0.025 mg/m<sup>3</sup>
- ACGIH A2; IARC 1
- EV TWA: 0.10\* mg/m<sup>3</sup> \*respirable fraction

### 65997-15-1 Cement, portland, chemicals

- EL TWA: 1 mg/m<sup>3</sup> respirable
- EV TWA: 10(D) mg/m<sup>3</sup> total dust
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)

## Safety Data Sheet according to HPR, Schedule 1

Printing date 02/08/2021

Reviewed on 02/08/2021

#### Trade name: ROMPOX-HAFTSCHLÄMME

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended material thickness: ≥0,5mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials: Strong gloves

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Powder
Color:	Grey
Odor:	Odorless
Odor threshold:	Not determined.
pH-value at 20 °C:	>12
	$\beta = 0,1g/cm^3$ in H2O
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

Printing date 02/08/2021

Reviewed on 02/08/2021

#### Trade name: ROMPOX-HAFTSCHLÄMME

	(Contd	of page 5
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Bulk density:	1,150 kg/m³	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
	Insoluble.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Solids content:	100.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions
- Reacts with light alloys in the presence of moisture to form hydrogen.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 >8,000 mg/kg (rabbit)

### 65997-15-1 Cement, portland, chemicals

Dermal LD50 2,000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive Irritant

(Contd. on page 7)

CA

1

Κ

# Safety Data Sheet according to HPR, Schedule 1

Printing date 02/08/2021

Reviewed on 02/08/2021

#### Trade name: ROMPOX-HAFTSCHLÄMME

(Contd. of page 6) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

## 12 Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

· UN-Number · DOT/TDG, ADR, ADN, IMDG, IATA	not regulated	
<ul> <li>UN proper shipping name</li> <li>DOT/TDG, ADR, ADN, IMDG, IATA</li> </ul>	not regulated	
<ul> <li>Transport hazard class(es)</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA · Class	not regulated	
		(Contd. on page 8)

Printing date 02/08/2021

Reviewed on 02/08/2021

#### Trade name: ROMPOX-HAFTSCHLÄMME

(Contd. of page 7)

· Packing group · DOT/TDG, ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	<b>x II of</b> Not applicable.
· UN "Model Regulation":	not regulated

### **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

14808-60-7 Quartz (SiO2)

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Quartz (SiO2) Cement, portland, chemicals
Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause cancer. May cause respiratory irritation.
Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling.

CA

Printing date 02/08/2021

Reviewed on 02/08/2021

### Trade name: ROMPOX-HAFTSCHLÄMME

(Contd. of page 8) Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or showerl. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Abteilung Umweltschutz · Contact: Hr. Blaesner Date of the latest revision of the safety data sheet 02/08/2021 / - Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative \*\* Data compared to the previous version altered.