Printing date 02/01/2021

Reviewed on 02/01/2021

1 Identification

· Product identifier

- · Trade name: <u>ROMPOX-EASY</u>
- · Application of the substance / the mixture Synthetic resin mortar
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* ROMEX Produktionsgesellschaft mbH Mühlgrabenstraße 19 D-53340 MECKENHEIM DEUTSCHLAND H.Blaesner@romex-rpg.de

 Information department: Abteilung Produktsicherheit
 Emergency telephone number: American Association of Poison Control Centers poisonhelp.org https://www.aapcc.org/centers Tel.: +1-800-222-1222 (24h)

Giftnotrufzentrale BONN, Germany Tel.: 0049(0)228-19240

ROMEX, Abtlg. Produktsicherheit von 08:00-17:00 : +49 (0)2225 70954-10

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:
- Quartz (SiO2)
- · Hazard statements
- May cause cancer.
- · Precautionary statements
- Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:
 NFPA ratings (scale 0 - 4)

Health = 0

 $\begin{array}{c} Health = 0\\ Fire = 0\\ Reactivity = 0\end{array}$

(Contd. on page 2)

(Contd. of page 1)

>90.0%

Safety Data Sheet acc. to OSHA HCS

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

· HMIS-ratings (scale 0 - 4)



*0 Health = *0 0 Fire = 0 REACTIVITY 0 Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of special sands, plastic modified
- · Dangerous components:

14808-60-7 Quartz (SiO2)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing. · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

		(Contd. of page 2	
	13 for disposal information.		
	Action Criteria for Chemicals		
· PAC-1:			
14808-60-7	Quartz (SiO2)	0.075 mg/m³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	350 mg/m³	
149-57-5	2-ethylhexanoic acid	15 mg/m³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	350 mg/m³	
· PAC-2:		· · · · · · · · · · · · · · · · · · ·	
14808-60-7	Quartz (SiO2)	33 mg/m³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	1,800 mg/m³	
149-57-5	2-ethylhexanoic acid	99 mg/m³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	1,800 mg/m³	
· PAC-3:			
14808-60-7	Quartz (SiO2)	200 mg/m ³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	40,000 mg/m ³	
149-57-5	2-ethylhexanoic acid	590 mg/m ³	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	40,000 mg/m ³	

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Information about protection against explosions and fires: The product is not flammable.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions:* Store in a cool place. Store in dry conditions.
- Protect from frost.
- Keep receptacle tightly sealed.
- Storage class: 13
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace	· Compo	nents with l	imit values	that require	monitorina	at the work	place:
---	---------	--------------	-------------	--------------	------------	-------------	--------

14808-60-7 Quartz (SiO2)

PEL Long-term value: 0.05* mg/m³

resp. dust; 30mg/m3/%SiO2+2 REL Long-term value: 0.05 mg/m³

respirable dust; See Pocket Guide App. A

(Contd. on page 4)

US

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

Trade name: ROMPOX-EASY	
	(Contd. of page 3)
TLV Long-term value: 0.025* m *as respirable fraction	g/m³
· Additional information: The lis	ts that were valid during the creation were used as basis.
· Exposure controls	
Personal protective equipmen	
 General protective and hygien Keep away from foodstuffs, beve 	
Wash hands before breaks and	
Store protective clothing separat	
• Breathing equipment:	ntilatad
Not necessary if room is well-ve In case of brief exposure or low	pollution use respiratory filter device. In case of intensive or longer
	tive device that is independent of circulating air.
Protection of hands:	
μ.	
Protective gloves	
	impermeable and resistant to the product/ the substance/ the
preparation. Due to missing tests no recom	mendation to the glove material can be given for the product/ the
preparation/ the chemical mixtur	e.
	on consideration of the penetration times, rates of diffusion and the
degradation · Material of gloves	
Butyl rubber, BR	
Nitrile rubber, NBR	
Recommended material thicknes	,
	ves does not only depend on the material, but also on further marks facturer to manufacturer. As the product is a preparation of several
	e glove material can not be calculated in advance and has therefore
to be checked prior to the applic	
• Penetration time of glove mate	erial as to be found out by the manufacturer of the protective gloves and
has to be observed.	
 Not suitable are gloves made 	of the following materials:
Strong gloves	
Leather gloves Natural rubber, NR	
· Eye protection:	
Tightly sealed goggles	3
· Body protection: Protective wo	rk clothing
9 Physical and chemical p	roperties
· Information on basic physical	and chemical properties
· General Information	
· Appearance:	
Form: Color:	Pasty Colored
Color:	Colored

Odor:
 Odor threshold:

Pasty Colored Characteristic Not determined.

(Contd. on page 5)

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.7 g/cm³ (14.1865 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0-<0.1 %
VOC content:	0-<0.05 %
Solids content:	>99.5 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.

(Contd. on page 6)

⁻ US

(Contd. of page 5)

1

Κ

Safety Data Sheet acc. to OSHA HCS

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- [·] Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

		(Contd. of page 6)
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
14808-60-7 Quartz (SiO2)	ACTI
15956-58-8 2-ethylhexanoic acid, manganese salt	ACTI
22464-99-9 2-ethylhexanoic acid, zirkonium salt	ACTI
64742-48-9 Naphtha (petroleum), hydrotreated heavy	ACTI
149-57-5 2-ethylhexanoic acid	ACTI
64742-48-9 Naphtha (petroleum), hydrotreated heavy	ACTIN
Hazardous Air Pollutants	
15956-58-8 2-ethylhexanoic acid, manganese salt	
Proposition 65	
Chemicals known to cause cancer:	
14808-60-7 Quartz (SiO2)	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
14808-60-7 Quartz (SiO2)	/
NIOSH-Ca (National Institute for Occupational Safety and Health)	i
14808-60-7 Quartz (SiO2)	
GHS label elements	
The product is classified and labeled according to the Globally Harmonized Sys	



(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/01/2021

Reviewed on 02/01/2021

Trade name: ROMPOX-EASY

· Signal word Danger

- *Hazard-determining components of labeling: Quartz (SiO2)*
- · Hazard statements

May cause cancer. • **Precautionary statements**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Blaesner
- Date of preparation / last revision 02/01/2021 / -• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Carc. 1A: Carcinogenicity - Category 1A ** Data compared to the previous version altered.

US